


Reliable Prints in High Volume

Brilliant Colours, Compact Size









Compact size, tidy space

Keep your space neat and tidy with out latest ink tank series. **Reducing 24%** of the space needed, plus our **front loading paper tray**, you can now place our printer anywhere orderly.

No wires, just family fun!

Experience hassle-free printing! Our wireless printer* lets you print straight from your smartphone, so you can share family memories and important documents without a computer.



DCP-T230

Print I Scan I Copy Value for money Simple UI



DCP-T430W

Print I Scan I Copy Value for money Simple UI Wireless & mobile print



DCP-T530DW

Print I Scan I Copy
Value for money
User friendly LCD panel
Duplex function
Wireless & Mobile print



We prioritize your printing experience! Our printer features a plug-and-play design for quick setup, easy-to-use buttons, and a clear display panel* for effortless navigation. Plus, our spill-free refill technology means you can change ink without the hassle—printing has never been this simple!









Pro prints in different sizes

Ensure your documents look perfect from start to finish! Our printer provides **professional consistency** with **high-quality** prints in sizes like A4, A5+, A6+, LTR, and photo. Whether it's a presentation or a client photo, count on us for outstanding results that elevate your business.

Engineered for work success

Our printer is engineered for business success, offering features like convenient **shortcut keys*** for one-tap actions that boost your productivity.

The transparent ink tank makes it **easy to check** ink levels at a glance, while **hands-free refilling** keeps you focused on your work.

With ADF scanning* for up to 20 sheets at a time, you can handle documents quickly and efficiently, empowering your business to thrive!

Print on the go workflow

Staying connected is key. Our printer's mobile and email printing capabilities empower you to bring your ideas to life, no matter where you are. Imagine effortlessly printing important documents directly from your smartphone or sending files straight from your email*!



DCP-T730DW

Print I Scan I Copy
Value for money
User friendly LCD panel
Duplex function
Convenient Automatic
Document feeder



DCP-T830DW

Print I Scan I Copy
Cost efficiency
User friendly LCD panel
Duplex function
Convenient Automatic
Document feeder
80 sheets multi-purpose tray



MFC-T930DW

Print I Scan I Copy I Fax
Cost efficiency
Convenient 1.8" colour LCD
Duplex function
Convenient Automatic
Document feeder
80 sheets multi-purpose tray



Specifications

Эреспіса	200 =	20.00	[820000"		50 to 100	(i.e.	
	DCP-T230 DCP-T236	DCP-T430W	DCP-T436W	DCP-T530DW/	DCP-T536DW	DCP-T730DW	
Functions	DOI 1200	B61 140011	Print, Scan, Copy	DCP-T535DW	201 1000211	Bei 1766BW	
GENERAL	гіні, осаі, сору						
Memory	64MB 128MB 1-Line LCD (16 characters) (except for Taiwan)					or Taiwan)	
Display Machine Color	Black White	LED Black	White	1-Line Black	LCD (20 characters) (for 1 White	aiwan) Black	
COLOUR PRINT		DIACK	Write	Black	write	Black	
Print Speed (ESAT) ⁽ⁱ⁾	Up to 16.0 ipm (mono) and 9.0 ipm (colour) Up to 16.0 ipm (mono) 15.5 ipm (colour)						
Print Speed (Eco Mode)	Up to 27.0 ppm (mono) and 11.0 ppm (colour)					Up to 27.0 ppm (mono) and 23.0 ppm (colour)	
First Print Out Time ⁽ⁱⁱ⁾ (FPOT)	Up to 6.2 sec (mono) and 9.6 sec (colour) Up to 6.2 sec (mono)					Up to 6.2 sec (mono) and 6.5 sec (colour)	
Print Resolution	Up to 1,200 x 6,000 dpi (Windows)		1,200 x 6,000 dpi (Windows	s) / Up to 1,200 x 3,600 dpi (M	·	Up to 1,200 x 6,000 dpi	
2-Sided Print Borderless	Manu	ual (Up to A4/LTR)			Automatic (Up to A4/LTR)		
Printing COLOUR COPY F	ELINCTION		Yes				
Maximum	FUNCTION		Up to A4/LTR				
Copy Size Copy Speed		Up to 11.0 ipm (mono) a				Up to 11.0 ipm (mono) an	
(ESAT/SESAT) Copy Speed		Up to 13.0 sec (mono) a				8.0 ipm (colour)(w) Up to 13.0 sec (mono) an	
(FĊÓT) ^(v) Copy Reso-		. , ,				25.0 sec (colour)	
lution Enlargement		1,200 x 1,8	800 dpi			1,200 x 2,400 dpi	
/ Reduction	25% - 400% in 1%	increments (via Remote Copy)		2	5% - 400% in 1% incremen	nts	
N in 1 Copy		O) / 4-in-1 (via Remote Copy)			2-in-1 / 2-in-1 (ID) / 4-in-1		
COLOUR SCAN F	FUNCTION						
Scan Size			Up to A4/LTR				
Scan Reso- lution	Optical: Up to 1,200 x 2,400 dpi Interpolated: Up to 19,200 x 19,200 dpi (For Windows 10/11 with TWAIN) Interpolated: Up to 19,200 x 19,200 dpi (For Windows 10/11 with TWAIN) Interpolated: Up to 19,200 x 19,200 dpi (For Windows 10/11 with TWAIN)					Up to 1,200 x 2,400 dpi (ADF: Up to 1,200 x 600 dpi) Interpolated: Up to 19,200 x 19,200 dpi (For Windows 10/11	
Scan Speed (@ 100 dpi)	From scanner FB: 3.35 sec / 4.38 sec (mono/color)						
"Scan To" Feature	Image, OCR, Email, File						
CONNECTIVITY/							
Interface	Hi-Speed USB 2.0	High Speed USB 2.0,Wireles (2.4GHz / 5		High Speed USB 2.0	0,WiFi-Direct, Wireless Lan	(2.4 GHz / 5.0 GHz)	
Mobile Solu- tions	NA	Brother Mobile Connec	ct App (for Android/iOS/Harr	mony OS) , AirPrint (for iOS),	Mopria, Brother Print Servi	ce Plugin (for Android)	
Desktop Solutions	iPrint&Scan Desktop App (for Windows OS onli	iPrint&Scan Desktop App (for Windows OS only) iPrint&Scan Desktop App					
Email Print	NA Yes						
PAPER HANDLIN Paper Input	lG .						
(Standard Tray)	Up to 150-sheets (80 g/m²)						
(Manual Feed Slot)	1 Sheet						
Paper Output	Up to 50-sheets (up to A4)						
Automatic Document	NA Up to 20-sheets (80g/						
Paper Handling Sizes	A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard(127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x127mm/3.5x5"), Mexico Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) toc.)						
(Standard Tray) Paper Handling Sizes (Manual	A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard(127x203mm/5x6"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x127mm/3.5x5"), Mexico Legal, India Legal ("HK and TWN support B5/JIS)/B6/JIS) too.)						
Feed Slot)	Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²]						
Media Type		Plain, Inkjet, Glossv (c					
Media Type (Standard Tray) Media Type				weight 64 000-/21			
Media Type (Standard Tray) Media Type (Manual Feed Slot)			ast/resin), Recycled [Media	weight 64-300g/m²]			
Media Type (Standard Tray) Media Type (Manual Feed Slot)	S AND SOFTWARE	Plain, Inkjet, Glossy (c	ast/resin), Recycled [Media		s: 10 / 11 / Server 2016 / 20	119 / 2022	
Media Type (Standard Tray) Media Type (Manual Feed Slot)	Windows: 10 / 11 Linux OS Chrome OS Unity OS	Plain, Inkjet, Glossy (c Windows: macOS [®] vt Linux Chrome	ast/resin), Recycled [Media 10 / 11 2/13/14 08 OS OS		macOS ^(∞) v12/13/14 Linux OS Chrome OS Unity OS	119 / 2022	
Media Type (Standard Tray) Media Type (Manual Feed Slot) SUPPORTED OS Supported Operating Systems (**) Management	Windows: 10 / 11 Linux OS Chrome OS Unity OS Kylin OS	Plain, Inkjet, Glossy (c Windows: macOS ^(o) v1 Linux (Chrome	ast/resin), Recycled [Media 10 / 11 2/13/14 08 OS OS	Windows	macOS ^(∞) v12/13/14 Linux OS Chrome OS	19 / 2022	
Media Type (Standard Tray) Media Type (Manual Feed Slot) SUPPORTED OS Supported Operating Systems (34) Management Tools	Windows: 10 / 11 Linux OS Chrome OS Unity OS	Plain, Inkjet, Glossy (c Windows: macOS [®] vt Linux Chrome	ast/resin), Recycled [Media 10 / 11 2/13/14 08 OS OS		macOS ^(∞) v12/13/14 Linux OS Chrome OS Unity OS	119 / 2022	
Media Type (Standard Tray) Media Type (Manual Feed Slot) SUPPORTED OS Supported Operating Systems (**) Management	Windows: 10 / 11 Linux OS Chrome OS Unity OS Kylin OS	Plain, Inkjet, Glossy (c Windows: macOS [®] v1 Linux Chrome Unity (Kylin C	ast/resin), Recycled [Media 10 / 11 2/13/14 08 08 08 08 08	Windows BRAdmin Light™, EWS uded for DCP-T535DW and M	macOS [©] v12/13/14 Linux OS Chrome OS Unity OS Kylin OS	119 / 2022	
Media Type (Standard Tray) Media Type (Manual Feed Slot) Supported Operating Systems (19) Management Tools SuppLIES Ink Bottle (19)	Windows: 10 / 11 Linux OS Chrome OS Unity OS Kylin OS	Plain, Inkjet, Glossy (c Windows: macOS [®] v1 Linux Chrome Unity (Kylin C	ast/resin), Recycled [Media 10 / 11 2/13/14 0S OS 0S 0S	Windows BRAdmin Light™, EWS uded for DCP-T535DW and M	macOS [©] v12/13/14 Linux OS Chrome OS Unity OS Kylin OS	19 / 2022	
Media Type (Standard Tray) Media Type (Manual Feed Slot) Supported Operating Systems (19) Management Tools SuppLIES Ink Bottle (19)	Windows: 10 / 11 Linux OS Chrome OS Unity OS Kylin OS EWS BTD100 BK:	Plain, Inkjet, Glossy (c Windows: macOS™ v1 Linux Chrome Unity V Kylin C	ast/resin), Recycled [Media 10 / 11 2/13/14 08 08 08 08 08	Windows BRAdmin Light ^(o) , EWS uded for DCP-T535DW and M A4 pages 390mm x 343m	macOS® v12/13/14 Linux OS Chrome OS Unity OS Kylin OS FC-T935DW only)	390mm x 343mm x	
Media Type (Standard Tray) Media Type (Manual Feed Slot) Supported Operating Systems (Manual Feed Slot) Supported Operating Systems (Manuagement Tools Supported Supported Supported Supported Operating Suppo	Windows: 10 / 11 Linux OS Chrome OS Unity OS Kylin OS EWS BTD100 BK:	Plain, Inkjet, Glossy (c Windows: macOS ^(N) v1 Linux (Chrome Unity (Kylin C	ast/resin), Recycled [Media 10 / 11 2/13/14 08 08 08 08 98 Extra Black Ink Bottle inclu /Y: Approximate Yield 5,000	Windows BRAdmin Light [™] , EWS ided for DCP-T535DW and M A4 pages	macOS® v12/13/14 Linux OS Chrome OS Unity OS Kylin OS FC-T935DW only)		

- For more information, please refer to www.brother.com/rd/printspeed.

 Based on ISO/ICE 17629.

- Based on ISO/IEC 29183 for models without Automatic Document Feeder.
 For more information, please refer to www.brother.com/rd/printspeed.
- (N) Based on ISO/IEC 24735 for models with Automatic Document Feeder only.
- For more information, please refer to www.brother.com/rd/printspeed.

 Based on ISO/IEC 24735 Annex D.
- For more information, please refer to www.brother.com./rd/printspeed.
- (vi) Based on ITU-T Test Chart No 1/MMR.
 (vii) Receiving is for Windows® only. This machine has Wireless Direct
 (viii) function to connect a machine and a mobile device.

- - For printing and scanning from Mac, use AirPrint or download iPrint&Scan = Specific models carry different quantities of ink bottles. Quoted approx. yields are extrapolated based on Brother original methodology application, it supports PDF/JPG/BMP and PNG file format only. MacOS using Test Pattern ISO/IEC 24712. Quoted yields are not based on Desktop App from Mac App Store. For printing on Brother iPrint&Scan application, it supports PDF/JPG/BMP and PNG file format only. MacOS
 - Not supported on Mac and Linux.
 Available for download at http://support.brother.com.
- Methodology using Test Patterns ISO/IEC 24712.


 (iii) For the latest driver updates, visit http://support.brother.com
- ISO/IEC 24711.
- Size reduction compared to predecessor T720 model. For selected models only.

Specifications

Specifications					
		THE CONTRACT OF THE CONTRACT O			
	DCP-T830DW	MFC-T930DW/MFC-T935DW			
Functions	Print, Scan, Copy	Print, Scan, Copy, Fax			
GENERAL					
Memory	128	MB			
Display	1-Line (20 characters)	1.8" Colour LCD			
Machine Color	Bla	ick			
COLOUR PRINT FUNCTION Print Speed (ESAT)®	Un to 47.0 inm /mana) and 40.5 inm /aslavis				
Print Speed (Eco Mode)	Up to 17.0 ipm (mono) and 16.5 ipm (colour)				
First Print Out Time® (FPOT)	Up to 30.0 ppm (mono) and 26.0 ppm (colour) Up to 6.0 sec (mono) and 6.5 sec (colour)				
Print Resolution					
2-Sided Print	Up to 1,200 x 6,000 dpi Automatic (Up to A4/LTR)				
Borderless Printing	Yes	· · ·			
COLOUR COPY FUNCTION					
Maximum Copy Size	Up to A	44/LTR			
Copy Speed (ESAT/sESAT)	Up to 13.0 ipm (mono)				
Copy Speed (FCOT)(*)	Up to 10.5 sec (mono)				
Copy Resolution	1,200 x 2	2,400 dpi			
Enlargement / Reduction Ratio	25% - 400% in	1% increments			
N in 1 Copy	2-in-1 / 2-in-1	(ID) / 4-in-1			
COLOUR SCAN FUNCTION	211172111	(15)7 4 111 1			
Maximum Scan Size	Up to A4/LTR				
Scan Resolution	Optical: Up to 1,200 x 2,400 dp Interpolated: Up to 19,200 x 19,200 d	i (ADF: Up to 1,200 x 600 dpi) toi (For Windows 10/11 with TWAIN)			
Scan Speed (@ 100 dpi)	From scanner FB: 3.35 se				
"Scan To" Feature	Image, OCR, Email, File	Image, OCR, Email, File, USB memory			
FAX FUNCTION Maximum Fax Size	NA NA	A4, LTR, LEGAL (with ADF)			
Modem Speed	NA NA	14.4kbps			
Memory Transmission ^(vi) / Out of Paper Reception ^(vi)	NA	Up to 170 pages			
Speed Dials	NA	40			
Group Dials	NA NA	Up to 6 groups			
PC-Fax (Mono) CONNECTIVITY/NETWORKING	NA	Sending & Receiving ^(vii)			
Interface	High Speed USB 2.0, WiFi-Direct, Wirel	less Lan (2.4 GHz / 5.0 GHz), Ethernet			
Mobile Solutions	Brother Mobile Connect App (for Android/iOS/Harmony OS), AirPrint (for iOS), Mopria, Brother Print Service Plugin (for Android)				
Desktop Solutions Email Print	iPrint&Scan Desktop App Yes				
Brother's Cloud Apps	NA NA	Yes			
WebConnect	NA NA	Yes			
PAPER HANDLING					
Paper Input (Standard Tray)	Up to 150-sheets (80g/m²)				
Paper Input (Multi-Purpose Tray)	80 Sheets (Plain Paper - 80g/m²) 20 Sheets (Glossy Paper)				
Paper Output	Up to 50-sheets (up to A4)				
Automatic Document Feeder	Up to 20-sheets (80g/m²)				
	Op to 20-sneets (eug/m²) A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard(127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-				
Paper Handling Sizes (Standard Tray)	A4, LTR, LGL, Polio, EAE, A5, A6, Prioto(102x152/illin4x6), illuexcard(127x2c/sillin5x6), Prioto-L(69x-127x176/illin5x7), C5 Envelope, C6ff-10, DL Envelope, Monarch, Prioto-L(69x-127x176/illin5x7), C5 Envelope, C6ff-10, DL E				
Paper Handling Sizes (Multi-Purpose Tray)	A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6"), Indexcard (127x203mm/5x8"), Photo-2L(127x178mm/5x7"), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x-127mm/3.5x5"), Meyico Legal India Legal (*HK and TWN) support B5 (18) MB(1) to 10 (18) English Meyico Legal India Legal in column and the support B5 (18) MB(1) to 10 (18) English Meyico Legal India Legal in column and the support B5 (18) MB(1) to 10 (18) English Meyico Legal India Legal in column and the support B5 (18) MB(1) to 10 (18) English Meyico Legal India Legal in column and the support B5 (18) MB(1) to 10 (18) English Meyico Legal India Legal in column and the support B5 (18) MB(1) to 10 (18) English Meyico Legal India Legal in column and the support B5 (18) MB(1) to 10 (18) English Meyico Legal India Legal in column and the support B5 (18) MB(1) to 10 (18) English Meyico Legal India Legal in column and the support B5 (18) MB(1) to 10 (18) English Meyico Legal India Legal in column and the support B5 (18) MB(1) to 10 (18) English Meyico Legal India Legal in column and the support B5 (18) MB(1) to 10 (18) English Meyico Legal India Legal in column and the support B5 (18) MB(1) to 10 (18) English Meyico Legal India Legal in column and the support B5 (18) MB(1) to 10 (18) English Meyico Legal India Legal in column and the support B5 (18) MB(1) to 10 (18) English MB(1) to 10 (18)				
	Mexico Legal, India Legal (*HK and TWN support B5(JIS)/B6(JIS) too.) (*LGL, Folio, Mexico Legal, India Legal is only page at a time.)				
Media Type (Standard Tray)	Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²]				
Media Type (Multi-Purpose Tray)	Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²]				
SUPPORTED OS AND SOFTWA	RE				
Supported					
Operating Systems ^(xii)	Windows: 10 / 11 / Server 2016 / 2019 / 2022 , macOS® v12/13/14 , Linux OS , Chrome OS , Unity OS , Kylin OS is®				
Management					
Tools	BRAdmin Light ^{tol} , EWS				
SUPPLIES					
Ink Bottle ^(xi)	BTD100 BK: Approximate Yield 7,500 A4 pages (1 Extra Black BTD100 C/M/Y: Approxim	Ink Bottle included for DCP-T535DW and MFC-T935DW only) ate Yield 5,000 A4 pages			
DIMENSIONS [WIDTH X DEPTH	X HEIGHT (WEIGHT)]				
Without Carton	435mm x 418mm x 180mm (9.6kg)	435mm x 418mm x 180mm (9.7kg)			
OTHERS					
Machine Life	50,000 pages or 5 years				

Machine life is based on either page count or year tallied, whichever comes first and is based on printer usage under following conditions. Printer setting: Default settings for all, Media type: Plain paper, Print pattern: ISO/IEC 24712, Environment: Normal temperature and humidity. Measurements are taken based on Brother's internal testing environment. Data for waste ink pad is based on measurement with assumed monthly usage of 50 to 1,000 pages. To maintain product's quality, the waste ink pad needs to be replaced before reaching page count or year limit depending on the environment and printer models.

Information correct as at the time of publication and may change without prior notice. Mac, macOS and Airprint are trademarks of Apple Inc., registered in the U.S. and other countries.





Working with you for a better environment www.brotherearth.com

www.brother.com.sg



BROTHER CREATIVECENTRE

One-stop centre for free downloadable templates

Brother strongly recommends the use of genuine Brother consumable products only. Benefits include better quality print, greater yields per consumable, protection of your machine from damages and achievement of optimum performance. As a precaution, please note that your machine warranty may not cover any damages arising from the use of non-genuine consumables.



Microsoft, Windows, the Windows logo and/or other Microsoft products referenced herein are either registered trademarks of Microsoft Corporation in the U.S. and/or other countries. Brother and its logo are trademarks of Brother Industries Ltd., Japan. All specifications are subject to change without notice. All registered trademarks referenced herein are the property of their respective companies. Brother International Corporation, Japan.